CAMBODIA DOORS



CATALOGUE

2023 - 2024

CAMBODIA DOORS fire steel door has many outstanding advantages: high durability, no warping, no damage by termites, no impacted by environment, various colors, deliciated design with impressive patterns. Fire steel door can be suitable for variety of areas. Using CAMBODIA DOORS fire steel doors also minimize the use of natural wood products, thereby contributing to environmental protection.



PRODUCT'S NAME	FIRE DOOR (60-70-90-120 MINS FIRE RESISTANCE)
Location	Emergency exit door
Model	As per client's requirement
Color	As per client's requirement
Frame steel thickness	1.2 mm - 1.6 mm
Frame depth	100 - 300 mm
Leaf steel thickness	0.6mm - 1.2 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb/ Glass wool / MGO
Glass	As per client's requirement
Hardware	As per client's requirement
Finishing	Powder coating /PVC laminate/ Wood grain painting
Origin	Viet Nam
Door size	As per client's requirement
Contact Cambodia Doors for professional advice and pricing on doors and accessories	

Cambodia Doors fire steel doors are tested and certified by the Police Department of Fire Prevention and Fighting and Rescue



PRODUCT'S NAME	70 MINUTES FIRE STEEL DOOR
Location	Emergency exit door
Model	Steel 302
Color	T136 B61- 01
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	0.7 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Finishing	Powder coating
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm



PRODUCT'S NAME	90 MINUTES FIRE STEEL DOOR
Location	Emergency exit door
Model	Steel 307
Color	E270 - M01 -06
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	0.8 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Finishing	Powder coating
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm

STANDARD COLOR


E150G03-T

Y150B24-67

T136B61-1

H146A03-08


E270M01-06


H116G01-10



PRODUCT'S NAME	120 MINUTES FIRE STEEL DOOR
Location	Emergency exit door
Model	Steel 302
Color	As per client's requirement
Frame steel thickness	1.4 mm
Frame depth	110 mm
Leaf steel thickness	1 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Finishing	Powder coating
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm



PRODUCT'S NAME	70 MINUTES FIRE STEEL DOOR
Location	Emergency exit door
Model	Steel 307
Color	As per client's requirement
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	0.7 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
70 minutes E fireproof glass	300 x 500 x 10mm
Finishing	Powder coating
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm

STANDARD COLOR

E150G03-T

Y150B24-67

T136B61-1

H146A03-08

E270M01-06

H116G01-10

Comprehensive Solution For Door And Interior





PRODUCT'S NAME	FIRE STEEL DOOR
Location	Emergency exit door
Model	Steel 412
Color	As per client's requirement
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	0.8 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Fire glass	As per client's requirement
Finishing	Powder coating
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm

STANDARD COLOR

E150G03-T Y150B24-67 T136B61-1 H146A03-08 E270M01-06 H116G01-10



PRODUCT'S NAME	70 MINUTES FIRE STEEL DOOR
Location	Technical room door, entrance door
Model	Steel 302
Color	As per client's requirement
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	0.7 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Finishing	Powder coating
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm



PRODUCT'S NAME	120 MINUTES FIRE STEEL DOOR
Location	Technical room door, entrance door
Model	Steel 413
Color	As per client's requirement
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	1 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
120 minutes E fireproof glass	200 x 1800 x 12mm
Finishing	Powder coating
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm

STANDARD COLOR

E150G03-T

Y150B24-67

T136B61-1

H146A03-08

E270M01-06

H116G01-10



PRODUCT'S NAME	120 MINUTES FIRE STEEL DOOR
Location	Technical room door, entrance door
Model	Steel 413
Color	As per client's requirement
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	1 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Finishing	Powder coating
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm



PRODUCT'S NAME	90 MINUTES FIRE STEEL DOOR
Location	Technical room door, entrance door
Model	Steel 803
Color	As per client's requirement
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	0.8 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
90 minutes E fireproof glass	600 x 1800 x 10mm
Finishing	Powder coating
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm

STANDARD COLOR

E150G03-T Y150B24-67 T136B61-1 H146A03-08 E270M01-06 H116G01-10



PRODUCT'S NAME	FIRE RATED DOOR, STAINLESS STEEL SUS304
Location	Exit door, entrance door, Hospital room
Model	As per client's requirement
Color	Satin stainless steel
Stainless steel SUS304 door frame	1.2 mm
Frame depth	110 mm
Frame width thickness	0.7 mm
Leaf depth	70 minutes E fireproof glass: 300 x 500 x 10mm
Inner core or door leaf	Honeycomb
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm



PRODUCT'S NAME	FIRE RATED DOOR, STAINLESS STEEL SUS304
Location	Exit door, entrance door, Hospital room
Model	As per client's requirement
Color	Satin stainless steel
Stainless steel SUS304 door frame	1.4 mm
Frame depth	110 mm
Frame width thickness	1 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm

STANDARD COLOR

E150G03-T *Y150B24-67* *T136B61-1* *H146A03-08* *E270M01-06* *H116G01-10*

STANDARD STYLES OF TECHNICAL DOOR



STEEL - 01



STEEL - 02



STEEL - 03



STEEL - 04



STEEL - 05



STEEL - 06



STEEL - 07



STEEL - 08



STEEL - 09



STEEL - 10



STEEL - 11



STEEL - 12



STEEL - 13



STEEL - 14



STEEL - 15

PRODUCT'S NAME	SAFE STEEL DOOR/ FIRE STEEL DOOR (60-70-90-120 MINSFIRE RESISTANCE)
Location	Entrance door, technical room door, generator room door...
Model	As per client's requirement
Color	As per client's requirement
Frame steel thickness	1.2 mm - 1.6 mm
Frame depth	100 - 300 mm
Leaf steel thickness	0.6mm - 1.2 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb/ Glass wool / MGO
Glass	As per client's requirement
Hardware	As per client's requirement
Finishing	Powder coating /PVC laminate/ Wood grain painting
Origin	Viet Nam
Door size	As per client's requirement
Contact Cambodia Doors for professional advice and pricing on doors and accessories	



PRODUCT'S NAME	SAFE STEEL DOOR
Location	Technical room door, entrance door
Model	Steel 302
Color	As per client's requirement
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	0.8 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Finishing	Powder coating
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm



PRODUCT'S NAME	SAFE STEEL DOOR
Location	Technical room door, entrance door
Model	Steel 302
Color	As per client's requirement
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	0.8 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Finishing	Powder coating
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm

STANDARD COLOR





PRODUCT'S NAME	SAFE STEEL DOOR
Location	Technical room door, entrance door
Model	Steel 302
Color	As per client's requirement
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	0.8 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Tempered glass	200 x 400 x 8mm
Finishing	Powder coating
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm



PRODUCT'S NAME	SAFE STEEL DOOR
Location	Technical room door, entrance door
Model	Steel 302
Color	As per client's requirement
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	0.8 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Louver	300 x 800 x 0.8mm
Finishing	Powder coating
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm

STANDARD COLOR

E150G03-T *Y150B24-67* *T136B61-1* *H146A03-08* *E270M01-06* *H116G01-10*





PRODUCT'S NAME	SAFE STEEL DOOR
Location	Technical room door, entrance door
Model	Steel 421
Color	As per client's requirement
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	0.8 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Louver	As per client's requirement
Glass	As per client's requirement
Finishing	Powder coating
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm

STANDARD COLOR

E150G03-T *Y150B24-67* *T136B61-1* *H146A03-08* *E270M01-06* *H116G01-10*





PRODUCT'S NAME	SAFE STEEL DOOR
Location	Technical room door, entrance door
Model	Steel 419
Color	As per client's requirement
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	0.8 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Tempered glass	As per client's requirement
Finishing	Powder coating
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm

STANDARD COLOR

E150G03-T Y150B24-67 T136B61-1 H146A03-08 E270M01-06 H116G01-10



PRODUCT'S NAME	STEEL DOOR WITH LEAD COVER
Location	Dedicated room door for hospital
Model	As per client's requirement
Color	As per client's requirement
Lead coated steel frame	2 mm
Frame depth	110 mm
Frame width thickness	2 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Glass with lead coated	As per client's requirement
Finishing	Powder coating
Origin	Viet Nam

STANDARD COLOR

E150G03-T

Y150B24-67

T136B61-1

H146A03-08

E270M01-06

H116G01-10





PRODUCT'S NAME	STEEL DOOR
Location	Factory, Warehouse
Model	As per client's requirement
Color	As per client's requirement
Frame steel thickness	1.4 mm
Frame depth	110 mm
Leaf steel thickness	1 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Glass	As per client's requirement
Finishing	Powder coating
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1150 - 1400 mm	2350 - 4000 mm
Double door (oversized)	2300 - 2600 mm	2351 - 4000 mm

STANDARD COLOR

E150G03-T Y150B24-67 T136B61-1 H146A03-08 E270M01-06 H116G01-10

TYPES OF FIRE STEEL DOOR WITH WOOD GRAIN PAINTING, PVC LAMINATE COVERED


STEEL 933


STEEL 933


STEEL 940


STEEL 951-1


STEEL 701


STEEL 101


STEEL 103


STEEL 108A


STEEL 125


STEEL 701


STEEL 116


STEEL 501


STEEL 502


STEEL 503


STEEL 509

PRODUCT'S NAME	FIRE DOOR (60 - 70 - 90 - 120 MINS FIRE RESISTANCE)
Location	Apartment main door, room door, hotel door
Model	As per client's requirement
Color	As per client's requirement
Frame steel thickness	1.2 mm - 1.6 mm
Frame depth	100 - 300 mm
Leaf steel thickness	0.6mm - 1.2 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb/ Glass wool / MGO
Glass	As per client's requirement
Hardware	As per client's requirement
Finishing	Powder coating /PVC laminate/ Wood grain painting
Origin	Viet Nam
Door size	As per client's requirement
Contact Cambodia Doors for professional advice and pricing on doors and accessories	

Comprehensive Solution For Door And Interior



STANDARD COLOR


VG16


VG18


VG23


VG24


VG25


VG26


VG27


VG28


VG29


VG30







PRODUCT'S NAME	SAFE STEEL DOOR - FIRE STEEL DOOR (70 MINS FIRE RESISTANCE)
Location	Main door
Model	Steel 129L
Color	VG 26
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	0.7 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Tempered glass	As per client's requirement
Louver	As per client's requirement
Finishing	Powder coating
Origin	Viet Nam

Door Type	Width	Height
Single door	850 - 980 mm	1950 - 2400 mm
Double door	1300 - 1770 mm	1950 - 2400 mm
4 leaf door	2540 - 2940 mm	1950 - 2400 mm
Fixed panel door		3000 mm

STANDARD COLOR


VG16


VG18


VG23


VG24


VG25


VG26


VG27


VG28


VG29


VG30



PRODUCT'S NAME	SAFE STEEL DOOR - FIRE STEEL DOOR (70 MINS FIRE RESISTANCE)
Location	Apartment main door, room door, hotel door
Model	Steel 108A
Color	VG 26
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	0.7 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Finishing	Wood grain painting
Origin	Viet Nam

Door Type	Width	Height
Single door	850 - 1000 mm	2000 - 2200 mm
Double door	1300 - 2000 mm	1950 - 2200 mm
4 leaf door	2540 - 2940 mm	1950 - 2200 mm
Fixed panel door		2700 mm



PRODUCT'S NAME	SAFE STEEL DOOR - FIRE STEEL DOOR (70 MINS FIRE RESISTANCE)
Location	Apartment main door, room door, hotel door
Model	Steel 126
Color	VG 29
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	0.7 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Finishing	Wood grain painting
Origin	Viet Nam

Door Type	Width	Height
Single door	850 - 1000 mm	2000 - 2200 mm
Double door	1700 - 2000 mm	2000 - 2200 mm
4 leaf door		2700 mm
Fixed panel door		

STANDARD COLOR


VG16


VG18


VG23


VG24


VG25


VG26


VG27


VG28


VG29


VG30



PRODUCT'S NAME	FIRE STEEL DOOR (70 MINS FIRE RESISTANCE)
Location	Apartment main door, room door, hotel door
Model	Steel 501
Color	VG 29
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	0.7 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Finishing	Wood grain painting
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1000 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
4 leaf door	1150 - 1400 mm	2350 - 4000 mm
Fixed panel door	2300 - 2600 mm	2351 - 4000 mm



PRODUCT'S NAME	FIRE STEEL DOOR (70 MINS FIRE RESISTANCE)
Location	Apartment main door, room door, hotel door
Model	Steel 116
Color	VG 18
Frame steel thickness	1.2 mm
Frame depth	110 mm
Leaf steel thickness	0.8 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Finishing	Wood grain painting
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1000 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
4 leaf door	1150 - 1400 mm	2350 - 4000 mm
Fixed panel door	2300 - 2600 mm	2351 - 4000 mm

STANDARD COLOR


VG16


VG18


VG23


VG24


VG25


VG26


VG27


VG28


VG29


VG30



PRODUCT'S NAME	FIRE STEEL DOOR (120 MIN FIRE RESISTANCE)
Location	Apartment main door, room door, hotel door
Model	Steel 933
Color	GG601 - 85
Frame steel thickness	1.4 mm
Frame depth	110 mm
Leaf steel thickness	1 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Finishing	PVC Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1000 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
4 leaf door	1150 - 1400 mm	2350 - 4000 mm
Fixed panel door	2300 - 2600 mm	2351 - 4000 mm



PRODUCT'S NAME	FIRE STEEL DOOR (120 MIN FIRE RESISTANCE)
Location	Apartment main door, room door, hotel door
Model	Steel 933
Color	GG603 - 85
Frame steel thickness	1.4 mm
Frame depth	110 mm
Leaf steel thickness	1 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Finishing	PVC Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1000 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
4 leaf door	1150 - 1400 mm	2350 - 4000 mm
Fixed panel door	2300 - 2600 mm	2351 - 4000 mm

STANDARD COLOR



G6910-G8



GD603-85



G7302-T1

WWAR05



GD303-Q5



UR901-U3



G4712-C2

GD601-85



PRODUCT'S NAME	FIRE STEEL DOOR (120 MIN FIRE RESISTANCE)
Location	Apartment main door, room door, hotel door
Model	Steel 938
Color	G7302-11
Frame steel thickness	1.4 mm
Frame depth	110 mm
Leaf steel thickness	1 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Finishing	PVC Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1000 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
4 leaf door	1150 - 1400 mm	2350 - 4000 mm
Fixed panel door	2300 - 2600 mm	2351 - 4000 mm



PRODUCT'S NAME	FIRE STEEL DOOR (120 MIN FIRE RESISTANCE)
Location	Apartment main door, room door, hotel door
Model	Steel 938
Color	G7302-11
Frame steel thickness	1.4 mm
Frame depth	110 mm
Leaf steel thickness	1 mm
Leaf depth	50 mm
Inner core or door leaf	Honeycomb
Finishing	PVC Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1000 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
4 leaf door	1150 - 1400 mm	2350 - 4000 mm
Fixed panel door	2300 - 2600 mm	2351 - 4000 mm

STANDARD COLOR



G6910-G8



GD603-85



G7302-T1

WWAR05



GD303-Q5



UR901-U3



G4712-C2

GD601-85

WPC door have many outstanding advantages: high durability, no warping in hot and humid environment, no termites, water-resistant.

WPC doors have various sophisticated designs, diverse colors that are suitable for different areas.

WPC doors are environmentally friendly that minimizing the use of natural wood products



WPC 111



WPC 954 - 1



WPC 956 - 2



WPC 208-1



WPC 956-3



WPC 208-3



WPC 325-5



WPC 207-4



WPC 327



WPC 401



WPC 402-4



WPC 403-1



WPC 403-2



WPC 403-3



WPC 405



PRODUCT'S NAME	WPC - PVC LAMINATE
Location	Bed room, bathroom..
Model	WPC 953-1
Color	G6910 - G8
Frame thickness	45 mm
Frame width	120 -145 mm
Leaf depth	40 mm
Inner core or door leaf	Solid WPC sheet
Finishing	PVC Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	700 - 1000 mm	1700 - 2200 mm
Double door	1100 - 2000 mm	1700 - 2200 mm
Single door (oversized)	1050 - 1200 mm	2205 - 2600 mm
Double door (oversized)	2050 - 2400 mm	2205 - 2600 mm



PRODUCT'S NAME	WPC - PVC LAMINATE
Location	Bed room, bathroom..
Model	WPC 207 - 4
Color	M8707
Frame thickness	45 mm
Frame width	120 -145 mm
Leaf depth	40 mm
Inner core or door leaf	Solid WPC sheet
Finishing	PVC Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	700 - 1000 mm	1700 - 2200 mm
Double door	1100 - 2000 mm	1700 - 2200 mm
Single door (oversized)	1050 - 1200 mm	2205 - 2600 mm
Double door (oversized)	2050 - 2400 mm	2205 - 2600 mm

STANDARD COLOR



G7302-T1



GD603-85



MT104



M8707



G6910-G8



WAR 05



PRODUCT'S NAME	WPC - PVC LAMINATE
Location	Bed room, bathroom..
Model	WPC 330
Color	WAR 05
Frame thickness	45 mm
Frame width	120 -145 mm
Leaf depth	40 mm
Inner core or door leaf	Solid WPC sheet
Finishing	PVC Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	700 - 1000 mm	1700 - 2200 mm
Double door	1100 - 2000 mm	1700 - 2200 mm
Single door (oversized)	1050 - 1200 mm	2205 - 2600 mm
Double door (oversized)	2050 - 2400 mm	2205 - 2600 mm



PRODUCT'S NAME	WPC - PVC LAMINATE
Location	Bed room, bathroom..
Model	WPC 401
Color	M8707
Frame thickness	45 mm
Frame width	120 -145 mm
Leaf depth	40 mm
Inner core or door leaf	Solid WPC sheet
Decorative plastic molding	As per client's requirement
Finishing	PVC Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	700 - 1000 mm	1700 - 2200 mm
Double door	1100 - 2000 mm	1700 - 2200 mm
Single door (oversized)	1050 - 1200 mm	2205 - 2600 mm
Double door (oversized)	2050 - 2400 mm	2205 - 2600 mm

STANDARD COLOR



G7302-T1 *GD603-85* *MT104* *M8707* *G6910-G8* *WAR 05*



PRODUCT'S NAME	WPC - PVC LAMINATE
Location	Bed room, bathroom..
Model	WPC 401
Color	WAR 05
Frame thickness	45 mm
Frame width	120 -145 mm
Leaf depth	40 mm
Inner core or door leaf	Solid WPC sheet
Decorative plastic molding	As per client's requirement
Finishing	PVC Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	700 - 1000 mm	1700 - 2200 mm
Double door	1100 - 2000 mm	1700 - 2200 mm
Single door (oversized)	1050 - 1200 mm	2205 - 2600 mm
Double door (oversized)	2050 - 2400 mm	2205 - 2600 mm



PRODUCT'S NAME	WPC - PVC LAMINATE
Location	Bed room, bathroom..
Model	WPC 944
Color	GD603 - 85
Frame thickness	45 mm
Frame width	120 -145 mm
Leaf depth	40 mm
Inner core or door leaf	Solid WPC sheet
Decorative plastic molding	As per client's requirement
Finishing	PVC Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	700 - 1000 mm	1700 - 2300 mm
Double door	1100 - 2000 mm	1700 - 2200 mm
Single door (oversized)	1050 - 1200 mm	2205 - 2600 mm
Double door (oversized)	2050 - 2400 mm	2205 - 2600 mm

STANDARD COLOR



G7302-T1



GD603-85



MT104



M8707



G6910-G8



WAR 05



PRODUCT'S NAME	WPC - PVC LAMINATE
Location	Bed room, bathroom..
Model	WPC 402 - 3
Color	MT 104
Frame thickness	45 mm
Frame width	120 -145 mm
Leaf depth	40 mm
Inner core or door leaf	Solid WPC sheet
Finishing	PVC Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	700 - 1000 mm	1700 - 2200 mm
Double door	1100 - 2000 mm	1700 - 2200 mm
Single door (oversized)	1050 - 1200 mm	2205 - 2600 mm
Double door (oversized)	2050 - 2400 mm	2205 - 2600 mm



PRODUCT'S NAME	WPC - PVC LAMINATE
Location	Bed room, bathroom..
Model	WPC 401
Color	G6910 - G8
Frame thickness	45 mm
Frame width	120 -145 mm
Leaf depth	40 mm
Inner core or door leaf	Solid WPC sheet
Patterns	As per client's requirement
Finishing	PVC Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	700 - 1000 mm	1700 - 2200 mm
Double door	1100 - 2000 mm	1700 - 2200 mm
Single door (oversized)	1050 - 1200 mm	2205 - 2600 mm
Double door (oversized)	2050 - 2400 mm	2205 - 2600 mm

STANDARD COLOR



G7302-T1 *GD603-85* *MT104* *M8707* *G6910-G8* *WAR 05*

Cambodia Doors ABS door products are appropriately designed and installed by the professional team that ensuring the accurate installation and bringing the perfect value to the product.



KOS 102



KOS 105



KOS 110



KOS 111



KOS 113



KOS 116



KOS 117



KOS 118



KOS 204



KOS 205



KOS 206



KOS 207



KOS 208



KOS 211



KOS 212



PRODUCT'S NAME	KOREA ABS DOOR
Location	Bed room, bathroom..
Model	KOS 301
Color	K1129
Frame thickness	45 mm
Frame width	110 - 130 mm
Leaf depth	35 mm
Inner core or door leaf	Honeycomb
Finishing	PVC Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	700 - 1000 mm	1700 - 2200 mm
Double door	1100 - 2000 mm	1700 - 2200 mm
Single door (oversized)	1050 - 1200 mm	2205 - 2600 mm
Double door (oversized)	2050 - 2400 mm	2205 - 2600 mm



PRODUCT'S NAME	KOREA ABS DOOR
Location	Bed room, bathroom..
Model	KOS 305
Color	FZ805
Frame thickness	45 mm
Frame width	110 - 130 mm
Leaf depth	35 mm
Inner core or door leaf	Honeycomb
Finishing	PVC Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	700 - 1000 mm	1700 - 2200 mm
Double door	1100 - 2000 mm	1700 - 2200 mm
Single door (oversized)	1050 - 1200 mm	2205 - 2600 mm
Double door (oversized)	2050 - 2400 mm	2205 - 2600 mm

STANDARD COLOR



K5300



K0201



MQ808



FZ805



K1129



MT104



W0901



U6405



M8707



PRODUCT'S NAME	KOREA ABS DOOR
Location	Bed room, bathroom..
Model	KOS 303
Color	MQ808
Frame thickness	45 mm
Frame width	110 - 130 mm
Leaf depth	35 mm
Inner core or door leaf	Honeycomb
Finishing	PVC Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	700 - 1000 mm	1700 - 2200 mm
Double door	1100 - 2000 mm	1700 - 2200 mm
Single door (oversized)	1050 - 1200 mm	2205 - 2600 mm
Double door (oversized)	2050 - 2400 mm	2205 - 2600 mm



PRODUCT'S NAME	KOREA ABS DOOR
Location	Bed room, bathroom..
Model	KOS 609
Color	K0201
Frame thickness	45 mm
Frame width	110 - 130 mm
Leaf depth	35 mm
Inner core or door leaf	Honeycomb
Finishing	PVC Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	700 - 1000 mm	1700 - 2200 mm
Double door	1100 - 2000 mm	1700 - 2200 mm
Single door (oversized)	1050 - 1200 mm	2205 - 2600 mm
Double door (oversized)	2050 - 2400 mm	2205 - 2600 mm

STANDARD COLOR



K5300



K0201



MQ808



FZ805



K1129



MT104



W0901



U6405



M8707





PRODUCT'S NAME	KOREA ABS DOOR	KOREA ABS DOOR
Location	Bed room, bathroom..	Bed room, bathroom..
Model	KOS 610	KOS 611
Color	K5300	W0901
Frame thickness	45 mm	45 mm
Frame width	110 - 130 mm	110 - 130 mm
Leaf depth	35 mm	35 mm
Inner core or door leaf	Honeycomb	Honeycomb
Finishing	PVC Laminate	PVC Laminate
Origin	Viet Nam	Viet Nam

Door Type	Width	Height
Single door	700 - 1000 mm	1700 - 2200 mm
Double door	1100 - 2000 mm	1700 - 2200 mm
Single door (oversized)	1050 - 1200 mm	2205 - 2600 mm
Double door (oversized)	2050 - 2400 mm	2205 - 2600 mm

STANDARD COLOR



K5300



K0201



MQ808



FZ805



K1129



MT104



W0901



U6405



M8707

Over-harvesting of natural wood is destroying the environment and causing serious climate change. Cambodia doors is one of the pioneers in applying advanced technology solution to create industrial products that not only meet quality standard, impressive designs with reasonable prices, but also contribute in the protection of forest resources and environment

CAMBODIA DOORS fire wood door is used with fire resistance sheets inside and finished by veneer, laminate, melamine. Thickness of fire resistance sheet is various upon 30 -60 -90 minutes fire resistance. The smoke seal is imported fro overseas. When a fire occurs, the seal will expand 7-10 times than original size to cover the gaps that prevent toxic smoke entering inside


W - 01


W - 02


W - 03


W - 04


W - 05


W - 06


W - 07


W - 08


W - 09


W - 10


W - 11


W - 12


W - 13


W - 14


W - 15



PRODUCT'S NAME	60 MINUTES - FIRE WOODEN DOOR
Location	Apartment door
Model	CD-01
Color	LK 4588 A
Frame thickness	45 mm
Frame width	110 mm
Leaf depth	45 mm
Inner material	2 fire layer of Mgo 5mm & 2 sheets of MDF 3mm
Finishing	MDF with Laminate covered
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1100 x 1250	2400 - 4000 mm
Double door (oversized)	2250 x 2350	2400 - 4000 mm



PRODUCT'S NAME	90 MINUTES - FIRE WOODEN DOOR
Location	Apartment door
Model	CD-02
Color	LK 4563 A
Frame thickness	45 mm
Frame width	110 mm
Leaf depth	45 mm
Inner material	2 fire layer of Mgo 6mm & 2 sheets of MDF 3mm
90 minutes E fireproof glass	150 x 1000 x 10 mm
Finishing	MDF with Laminate covered
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1100 x 1250	2400 - 4000 mm
Double door (oversized)	2250 x 2350	2400 - 4000 mm



PRODUCT'S NAME	60 MINUTES - FIRE WOODEN DOOR
Location	Apartment door
Model	CD-03
Color	LK 4554 A
Frame thickness	45 mm
Frame width	110 mm
Leaf depth	45 mm
Inner material	2 fire layer of Mgo 5mm & 2 sheets of MDF 3mm
Finishing	MDF with Laminate covered
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1100 x 1250	2400 - 4000 mm
Double door (oversized)	2250 x 2350	2400 - 4000 mm



PRODUCT'S NAME	60 MINUTES - FIRE WOODEN DOOR
Location	Apartment door
Model	CD-04
Color	106 SH
Frame thickness	45 mm
Frame width	110 mm
Leaf depth	45 mm
Inner material	2 fire layer of Mgo 5mm & 2 sheets of MDF 3mm
Finishing	MDF with Laminate covered
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1100 x 1250	2400 - 4000 mm
Double door (oversized)	2250 x 2350	2400 - 4000 mm



PRODUCT'S NAME	120 MINUTES - FIRE WOODEN DOOR
Location	Apartment door
Model	CD-05
Color	4581 A
Frame thickness	45 mm
Frame width	110 mm
Leaf depth	50 mm
Inner material	2 fire layer of Mgo 8mm & 2 sheets of MDF 3mm
Finishing	MDF with Laminate covered
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1100 x 1250	2400 - 4000 mm
Double door (oversized)	2250 x 2350	2400 - 4000 mm



PRODUCT'S NAME	LAMINATE FINISHING - MDF DOOR
Location	Room door
Model	CD-06
Color	LK 4571 A
Frame thickness	45 mm
Frame width	110 mm
Leaf depth	40 mm
Inner material	Honeycomb
Finishing	Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1100 x 1250	2400 - 4000 mm
Double door (oversized)	2250 x 2350	2400 - 4000 mm



PRODUCT'S NAME	LAMINATE FINISHING - MDF DOOR
Location	Room door
Model	CD-07
Color	LL 2257
Frame thickness	45 mm
Frame width	110 mm
Leaf depth	40 mm
Inner material	Honeycomb
Finishing	Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1100 x 1250	2400 - 4000 mm
Double door (oversized)	2250 x 2350	2400 - 4000 mm



PRODUCT'S NAME	LAMINATE FINISHING - MDF DOOR
Location	Room door
Model	CD-08
Color	LL 2264
Frame thickness	45 mm
Frame width	110 mm
Leaf depth	40 mm
Inner material	Honeycomb
Finishing	Laminate
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1100 x 1250	2400 - 4000 mm
Double door (oversized)	2250 x 2350	2400 - 4000 mm



PRODUCT'S NAME	MELAMINE FINISHING - MDF DOOR
Location	Room door
Model	CD-09
Color	MEL 611 EV
Frame thickness	45 mm
Frame width	110 mm
Leaf depth	40 mm
Inner material	Honeycomb
Finishing	Melamine
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1100 x 1250	2400 - 4000 mm
Double door (oversized)	2250 x 2350	2400 - 4000 mm



PRODUCT'S NAME	MELAMINE FINISHING - MDF DOOR
Location	Room door
Model	CD-10
Color	MEL 407 PL
Frame thickness	45 mm
Frame width	110 mm
Leaf depth	40 mm
Inner material	Honeycomb
Finishing	Melamine
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1100 x 1250	2400 - 4000 mm
Double door (oversized)	2250 x 2350	2400 - 4000 mm





PRODUCT'S NAME	MELAMINE FINISHING - WOOD SLIDING DOOR
Location	Room door
Model	As per client's requirement
Color	As per client's requirement
Frame thickness	45 mm
Frame width	110 mm
Leaf depth	40 mm
Inner material	Honeycomb
Finishing	Melamine
Origin	Viet Nam

Door Type	Width	Height
Single door	500 - 1100 mm	1700 - 2300 mm
Double door	1200 - 2200 mm	1700 - 2300 mm
Single door (oversized)	1100 x 1250	2400 - 4000 mm
Double door (oversized)	2250 x 2350	2400 - 4000 mm



PRODUCT'S NAME	BUTT HINGE
Size	114 x 76 x 3 mm
Brand	Hisung/Galaxy
Material	SS201/SS304
Door type	Steel door, wood door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	BUTT HINGE
Size	100 x 75 x 3 mm
Brand	Hisung/Galaxy/Newneo
Material	SS201/SS304
Door type	Steel door, wood door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	DOOR HINGE
Size	102 x 76 x 2.5 mm
Brand	Hisung/Galaxy/Newneo
Material	Alloy/SS201/SS304
Door type	ABS door, WPC door, Composite door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	PANIC BAR
Model Number	500 P
Size	1000 mm
Brand	Hisung/Galaxy/ Newneo
Material	Steel Powder Coating
Door type	Steel door, wood door
Location	Fire door, emergency exit door
Origin	China
Finish	Silver
Warranty	12 months



PRODUCT'S NAME	PANIC BAR
Model Number	500 S
Size	1000 mm
Brand	Hisung/Galaxy/ Newneo
Material	SS 304
Door type	Steel door, wood door
Location	Fire door, emergency exit door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	VERTICAL PANIC BAR FOR DOUBLE DOOR
Model Number	560 P / 500 T-P
Size	1000 mm
Brand	Hisung/Galaxy/ Newneo
Material	Steel Powder Coating
Door type	Steel door, wood door
Location	Fire door, emergency exit door
Origin	China
Finish	Silver
Warranty	12 months



PRODUCT'S NAME	VERTICAL PANIC BAR FOR DOUBLE DOOR
Model Number	560 S / 500 T-S
Size	1000 mm
Brand	Hisung/Galaxy/ Newneo
Material	SS 304
Door type	Steel door, wood door
Location	Fire door, emergency exit door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	LEVER HANDLE
Model Number	006Z / 006S / H017
Brand	Hisung/Galaxy/ Newneo
Material	Alloy/SS 304
Door type	Steel door, wood door
Location	Exterior, outside
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	ELECTRONIC LOCK
Model Number	9200
Brand	Hisung/Galaxy
Material	High - grade alloy
Unlock function	Password, magnetic card and key
Size	86 x 385 x 60 (WxHxD)
Door leaf thickness	38 - 80 mm
Door type	Steel door, wood door, plastic door
Location	Main door, bedroom door, working door
Origin	Korea
Warranty	12 months



PRODUCT'S NAME	ELECTRONIC LOCK
Model Number	9201
Brand	Hisung/Galaxy
Material	High - grade alloy
Unlock function	Fingerprint, Password, magnetic card and key
Size	86 x 385 x 60 (WxHxD) mm
Door leaf thickness	38 - 80 mm
Location	Main door, bedroom door, working door
Origin	Korea
Warranty	12 months



PRODUCT'S NAME	LEVER HANDLE (DOOR PROFILE, CYLINDER AND HANDLE)
Model Number	L8088SS-G
Brand	Hisung/Galaxy
Material	SS 304
Unlock function	Double Cylinder key or Cylinder key with thumb turn
Door leaf thickness	40 - 60 mm
Location	Main door, bedroom door, working door
Door type	Steel door, wood door, plastic door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	LEVER HANDLE (DOOR PROFILE, CYLINDER AND HANDLE)
Model Number	L8388SS-G
Brand	Hisung/Galaxy
Material	SS 304
Unlock function	Double Cylinder key or Cylinder key with thumb turn
Door leaf thickness	40 - 60 mm
Location	Main door, bedroom door, working door
Door type	Steel door, wood door, plastic door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	LEVER HANDLE (DOOR PROFILE, CYLINDER AND HANDLE)
Model Number	T20 103SS-G
Brand	Hisung/Galaxy
Material	SS 304
Unlock function	Double Cylinder key or Cylinder key with thumb turn
Door leaf thickness	40 - 60 mm
Location	Main door, bedroom door, working door
Door type	Steel door, wood door, plastic door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	LEVER HANDLE (DOOR PROFILE, CYLINDER AND HANDLE)
Model Number	IR 103
Brand	Newneo
Material	SS 304
Unlock function	Double Cylinder key or Cylinder key with thumb turn
Door leaf thickness	40 - 60 mm
Location	Main door, bedroom door, working door
Door type	Steel door, wood door, plastic door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	LEVER HANDLE (DOOR PROFILE, CYLINDER AND HANDLE)
Model Number	IR 303
Brand	Newneo
Material	SS 304
Unlock function	Double Cylinder key or Cylinder key with thumb turn
Door leaf thickness	40 - 60 mm
Location	Main door, bedroom door, working door
Door type	Steel door, wood door, plastic door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	LEVER HANDLE (DOOR PROFILE, CYLINDER AND HANDLE)
Model Number	CM5019SS-G
Brand	Hisung/Galaxy
Material	Alloy
Unlock function	Double Cylinder key or Cylinder key with thumb turn
Size	260 mm
Door leaf thickness	40 - 60 mm
Location	Main door, bedroom door, working door
Door type	Steel door, wood door, plastic door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	LEVER HANDLE (DOOR PROFILE, CYLINDER AND HANDLE)
Model Number	R82137
Brand	Newneo
Material	Zinc Alloy
Unlock function	Double Cylinder key or Cylinder key with thumb turn
Door leaf thickness	35 - 45 mm
Location	Main door, bedroom door, working door
Door type	Steel door, wood door, plastic door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	LEVER HANDLE (DOOR PROFILE, CYLINDER AND HANDLE)
Model Number	R82139
Brand	Newneo
Material	Zinc Alloy
Unlock function	Cylinder key with thumb turn
Door leaf thickness	35 - 45 mm
Location	Main door, bedroom door, working door
Door type	Steel door, wood door, plastic door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	LEVER HANDLE (DOOR PROFILE, CYLINDER AND HANDLE)
Model Number	FD85 - 09
Brand	Newneo
Material	SUS304
Unlock function	Double Cylinder key or Cylinder key with thumb turn
Door leaf thickness	40 - 50 mm
Location	Main door, bedroom door, working door
Door type	Steel door, wood door, plastic door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	LEVER HANDLE (DOOR PROFILE, CYLINDER AND HANDLE)
Model Number	FD85 - 11
Brand	Newneo
Material	SUS 304
Unlock function	Double Cylinder key or Cylinder key with thumb turn
Size	260 mm
Door leaf thickness	40 - 50 mm
Location	Main door, bedroom door, working door
Door type	Steel door, wood door, plastic door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	LEVER HANDLE (LOCK PROFILE AND HANDLE)
Model Number	55 ZC
Brand	Hisung/Galaxy
Material	SS 304
Door leaf thickness	40 - 60 mm
Location	Room door, emergency exit door, technical room door
Door type	Steel door, wood door, plastic door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	TUBULAR LOCKSET
Model Number	33LS-010
Brand	Hisung/Galaxy/Yeslock
Material	Alloy
Unlock function	Single Profile Cylinder Key with thumb turn
Door leaf thickness	35 - 45 mm
Location	Room door, restroom door
Door type	Wood door, plastic door
Origin	Korea
Finish	Siliver
Warranty	12 months



PRODUCT'S NAME	CONCEALED FLUSHED RING LOCKSET
Model Number	70STS-ENT
Brand	Hisung/Galaxy/Yeslock
Material	SS 304
Unlock function	Double Cylinder key
Door leaf thickness	35 - 50 mm
Location	Technical room
Door type	Steel door, wood door, plastic door
Origin	Korea
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	CONCEALED FLUSHED RING LOCKSET (MORTISE BODY)
Model Number	CT2013 SS
Brand	Hisung/Galaxy
Material	SS 304
Unlock function	Single cylinder or Double cylinder
Door leaf thickness	35 - 50 mm
Location	Technical room
Door type	Fire steel door, wood door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	KNOB LOCKSET
Model Number	9000SS
Brand	Newneo
Material	SS304
Unlock function	1 side press,1 side no key
Door leaf thickness	35 - 45 mm
Location	Restroom
Door type	Wood door, plastic door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	KNOB LOCKSET
Model Number	9000
Brand	Newneo
Material	SS 304
Unlock function	Knob lockset WC
Door leaf thickness	35 - 45 mm
Location	Bedroom door, entrance door
Door type	Wood door, plastic door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	FLUSH BOLT FOR STEEL DOOR
Measurement	150/300 mm
Brand	Hisung/Galaxy
Material	SS 201/SS 304
Door type	Steel door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	FLUSHED BOLT FOR WOOD DOOR/PLASTIC DOOR
Size	300 mm
Brand	Newneo
Material	SS304
Door type	Wood door/plastic door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	FLOOR SOCKET
Brand	Hisung/Galaxy/ Newneo
Material	SS304
Door type	Use for concealed latched of Wood door/plastic door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	PULL & PUSH HANDLE
Size	300 x100 mm
Brand	Hisung/Galaxy/Newneo
Material	SS304
Door type	Steel door, wood door, Wpc door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	ROLLER LATCH
Model Number	938
Brand	Hisung/Galaxy/Newneo
Material	SS304
Door type	Steel door, wood door, Wpc door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	FLOOR MOUNTED DOOR STOP
Model Number	S004
Brand	Hisung/Galaxy/Newneo
Material	SS304
Door type	Steel door, wood door, Wpc door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	MAGNETIC DOOR STOP
Model Number	9001/9002/9003
Brand	Hisung/Galaxy/Newneo
Material	SUS201/ SUS304
Door type	Steel door, wood door, Wpc door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	WALL MOUNTED DOOR STOP
Model Number	938.10.400
Brand	Hafele
Material	SUS 304
Door type	Steel door, wood door, Wpc door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	OVERHEAD DOOR CLOSER
Model Number	078/ 8004
Brand	Hisung/Galaxy/Newneo
Material	Aluminum Alloy
Door width size	700 - 1000 mm
Max door weight	65 - 80kg
Door type	Steel door, wood door, Wpc door
Origin	China
Finish	Sliver
Warranty	12 months



PRODUCT'S NAME	OVERHEAD DOOR CLOSER
Model Number	098/8805
Brand	Hisung/Galaxy/Newneo
Material	Aluminum Alloy
Door width size	1000 - 1200 mm
Max door weight	100 - 110kg
Door type	Steel door, wood door, Wpc door
Origin	China
Finish	Sliver
Warranty	12 months



PRODUCT'S NAME	CONCEALED DOOR CLOSER
Model Number	Y23
Brand	Yank
Material	Aluminum Alloy
Door width size	800 - 1000 mm
Max door weight	85 kg
Door type	Steel door, wood door
Origin	China
Finish	Sliver
Warranty	12 months



PRODUCT'S NAME	COMPLETE SET FOR DOOR WEIGHT UNDER 120 KG (TRACK TO BE ORDERED SEPARATELY)
Model Number	940.82.252 / 940.82.253
Brand	Hafele
Max door weight	120kg
Door type	Steel door, wood door
Origin	China
Finish	Sliver
Warranty	12 months



PRODUCT'S NAME	RUNNING TRACKS AND ACCESSORIES
Model Number	942.34.920 / 942.34.930 / 942.34.94 / 942.34.960
Brand	Hafele
Material	Aluminum
Door type	Steel door, wood door
Origin	China
Finish	Sliver anodized
Warranty	12 months



PRODUCT'S NAME	MORTISE LOCK FOR SLIDING DOOR
Model Number	911.26.277
Brand	Hafele
Material	SUS 304
Door type	Steel door, wood door, wpc door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	SINGLE PROFILE CYLINDER
Model Number	911.96.117
Brand	Hafele
Material	Brass
Door type	Steel door, wood door, wpc door
Origin	China
Finish	Satin nickel
Warranty	12 months



PRODUCT'S NAME	PROFILE CYLINDER WITH ROUND THUMBTUM
Model Number	916.96.317
Brand	Hafele
Material	Brass
Door type	Steel door, wood door, wpc door
Origin	China
Finish	Satin nickel
Warranty	12 months



PRODUCT'S NAME	DOUBLE PROFILE CYLINDER
Model Number	916.96.315
Brand	Hafele
Material	Brass
Door type	Steel door, wood door, wpc door
Origin	China
Finish	Satin nickel
Warranty	12 months



PRODUCT'S NAME	PROFILE CYLINDER BATHROOM
Model Number	916.95.426
Brand	Hafele
Material	SUS304
Door type	Steel door, wood door, wpc door
Origin	China
Finish	Satin stainless
Warranty	12 months



PRODUCT'S NAME	ROUND ESCUTCHEON
Model Number	903.52.780
Brand	Hafele
Material	SUS304
Door type	Steel door, wood door, wpc door
Origin	China
Finish	Satin stainless
Warranty	12 months



PRODUCT'S NAME	FLUSH HANDLE
Model Number	9023.01.382
Brand	Hafele
Material	SUS 304
Door type	Steel door, wood door, wpc door
Origin	China
Finish	Satin stainless
Warranty	12 months



PRODUCT'S NAME	RETRACTABLE DOOR SEAL
Model Number	950.45.015 / 950.45.016 / 950.45.017
Brand	Hafele
Material	Aluminum anodized
Door type	Steel door, wood door, wpc door
Origin	China
Finish	Silicone grey, self-extinguishing
Warranty	12 months



PRODUCT'S NAME	FLOOR HINGE
Model Number	8623
Brand	Newneo
Material	SUS304
Door type	Steel door, wood door
Origin	China
Finish	Satin stainless
Warranty	12 months



PRODUCT'S NAME	BEARING T TYPE
Model Number	001 PS
Brand	Newneo
Material	SS 304
Door leaf thickness	35 - 50 mm
Door type	Wood door, steel door, plastic door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	MORTISE SASHLOCK
Model Number	911.22.490
Brand	Hafele
Material	SUS 304
Door type	Steel door, wood door, wpc door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	H-STYLED PULL HANDLE
Model Number	903.01.801 / 903.01.803 / 903.01.804 / 903.01.806
Dimension	L400 / L600 /L800 /1200 / L1600 / L2000
Brand	Hafele/ Newneo
Material	SUS 304
Door type	Steel door, wood door, wpc door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	DIGITAL LOCK (WIS APARTMENT APP)
Model Number	JD318
Functions	Fingerprint, Passcode, Card, Key, Mobile App
Brand	Newneo
Material	Tempered glass, Zinc Alloy
Door type	Steel door, Glass door with Alu frame, wood door, upvc door
Location	Main door, Entrance door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	DIGITAL LOCK (TTLOCK APP)
Model Number	L801
Functions	Fingerprint, Passcode, Card, Key, TTLOCK App
Brand	Newneo
Material	Tempered glass, Zinc Alloy
Door type	Steel door, Glass door with Alu frame, wood door, upvc door
Location	Main door, Entrance door
Origin	China
Finish	Black
Warranty	12 months



PRODUCT'S NAME	ACCESS CONTROL READER
Model Number	TDS19
Dimension	84x84x20mm
Brand	Newneo
Function	Passcode, Card
Material	Zinc Alloy
Door type	Steel door, wood door
Origin	China
Finish	Grey
Warranty	12 months



PRODUCT'S NAME	ACCESS CONTROL READER (TIME ATTENDANCE FUNCTION)
Model Number	TFS70
Dimension	185x64x47mm
Brand	Newneo
Function	Fingerprint, Passcode, Card
Material	PVC
Door type	Steel door, wood door
Origin	China
Finish	Greyl
Warranty	12 months



PRODUCT'S NAME	ADAPTER
Dimension	180x80x60mm
Brand	Newneo
Function	Convert power from 220V to 12V DC
Material	Steel power coating
Door type	Wood door, steel door
Origin	China
Finish	Silver
Warranty	12 months



PRODUCT'S NAME	ELECTRIC LOCK
Dimension	200x34x42mm
Brand	Newneo
Function	Keep the door lock
Material	Zinc Alloy
Door type	Steel door, wood door, glass door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	EXIT BUTTON
Dimension	86x86x25mm
Brand	Newneo
Function	Press to open the door
Material	PVC
Door type	Wood door, steel door
Origin	China
Finish	Silver
Warranty	12 months



PRODUCT'S NAME	ELECTROMAGNETIC LOCK
Dimension	250x43x26mm
Brand	Newneo
Function	Keep the door lock (Holding Force maximum 280kg)
Material	Zinc Alloy
Door type	Steel door, wood door, Glass door
Origin	China
Finish	Silver
Warranty	12 months



PRODUCT'S NAME	DOOR VIEWER
Model number	511CP/511AC 200SN/200AC
Brand	Newneo
Material	Zinc Alloy
Door type	Steel door, wood door
Origin	China
Finish	Silver, AC
Warranty	12 months



PRODUCT'S NAME	RF CARD
Brand	Newneo
Function	Swipe card to open the lock
Material	PVC
Door type	Steel door, wood door
Origin	China
Finish	Silver
Warranty	12 months



PRODUCT'S NAME	AUTOMATIC SLIDING DOOR (MAXIMUM 120KG)
Model Number	803D
Door Size	2000mm
Rail Length	4800mm
Brand	Newneo
Function	Automatic sliding door
Material	Aluminum
Door type	Steel door, wood door, glass door
Origin	China
Finish	Satin stainless steel
Warranty	12 months



PRODUCT'S NAME	AUTOMATIC SLIDING DOOR (MAXIMUM 180KG/200KG)
Model Number	BDC - 350
Door size	2000mm/2500mm/3000mm
Rail Length	4000mm/5000mm/6000mm
Brand	FALCON
Function	Automatic sliding door
Material	Aluminum
Door type	Steel door, glass door, wood door
Origin	Korea
Finish	Silver
Warranty	24 months



PRODUCT'S NAME	DOOR DRIP FLASHING
SIze	60 x 55 x 1.2
Function	Exterior Design
Material	Steel door, Satin Stainless Steel
Origin	Viet Nam
Finish	Powder coating / Satin Stainless Steel
Warranty	12 months



PRODUCT'S NAME	DOOR DRIP FLASHING
Size	100 x 60 x 1.2
Function	Exterior Design
Material	Steel door, Satin Stainless Steel
Origin	Viet Nam
Finish	Powder coating / Satin Stainless Steel
Warranty	12 months

MASTER KEY SYSTEM



Masterkey system

In the master key system, a parent key - the masterkey - unlocks all cylinder of the entire building.However, each cylinder will also have its own differ key which will be used by the person who works in that particular room or office.



PRODUCT'S NAME	FIRE RATED GLASS
Duration	30 - 45 - 60 -70 -90 120 minutes
Material	Clear glass 6-8-10-12 mm
Door type	Fire steel door, Fire wood door
Origin	Viet Nam/ China
Warranty	12 months



PRODUCT'S NAME	TEMPERATURE PROOF FIRE RATED
Duration	15 - 30 - 45 - 60 -70 -90 120 minutes
Material	3 layers clear glass - 14-16-23-26-30-34-39-50 mm
Door type	Fire steel door, Fire wood door
Origin	Viet Nam/ China
Warranty	12 months



PRODUCT'S NAME	LAMINATED GLASS
Material	3 layers clear glass - 8.38 - 12.38 mm
Door type	Steel door, Wood door, Wpc door
Origin	Viet Nam
Warranty	12 months



PRODUCT'S NAME	TEMPERED GLASS
Material	Clear glass 8 - 12 mm
Door type	Lead coated steel door
Origin	Viet Nam/China
Warranty	12 months



PRODUCT'S NAME	GLASS WITH LEAD COATED
Material	Clear glass 10 - 12 mm
Door type	Lead coated steel door
Origin	Viet Nam/China
Warranty	12 months

1. Fire Rated Steel Door Technical Specifications Security Steel Door Technical Specifications



2. Standard Steel Frames for Factory



KC1



KC1A



KC1B



KC2



KC3



3. Stainless steel sus304 Door Sill

Threshold: 18



Threshold: 30



Threshold: 30



4. Flashing Deep



5. Steel Trim Molding



6. Fireproof Wooden Door Technical Specifications



7. Laminated Wooden Door / Melamine Door Technical Specifications



8. Plastic ABS Korean Door Technical Specifications



9. WPC DOOR - PVC Laminate Technical Specifications



10. Door Direction



CAMBODIA DOORS

OFFICE
82/2/16 Dinh Bo Linh, Ward 26, Binh Thanh District, HCM City
(+84) 28 3511 4778 - (+84) 28 3511 4898

FACTORY
Lot A-4D1 - Mỹ Phuoc 3, Binh Duong City
Lot 2 Binh Xuyen Industrial Zone, Vinh Phuc Provine

24/7 HOTLINE
Hotline: (+84) 935 248 425 (Mr.Kiet) - (+84) 908 117 848 (Mr.Duc)
Email: Sales@cambodiadoors.com - www.Cambodiadoors.com